

Logo Mats

ZONES 1 2 3 4



Precision Inlay™ Logo

Precision Inlay Plush™

Features

Zones

- 1
- 2
- 3
- 4

Precise reproduction of a logo or image in a superior quality plush mat
 Create with any image, shape or size
 Choose from a large selection of standard colors (For additional color options, contact our Design Department)
 Luxurious walk-off mat absorbs moisture and removes dirt
 Non-skid backing keeps mat in place
 Common Uses—retail stores, malls, commercial settings, lobbies, reception areas, service counters

*miVantage™
 Luxurious
 matting ideal
 for oversized
 logo mats or
 wall-to-wall
 designs*

Specifications

Material
 100% solution-dyed premium polyamide nylon fibers (6.6) with 34.6% pre-consumer recycled content for Multi colors

Style
 Graphic Inlay

Backing
 Non-skid rubber

Thickness
 3/8"

Weight
 Solids = 42 oz/sq yd
 Multi = 48 oz/sq yd


Solid Colors



Possible LEED v 2009 Credits

Solids
 MR Credit 5 (1-2 points)
 IEQ Credit 4.3 (1 point)

Multi
 MR Credit 4 (1-2 points)
 MR Credit 5 (1-2 points)



Solid

Cranberry 860	Red 861	Orange 601	Yellow 201	Gold 235	Green 399	Navy 485	Periwinkle Blue 920
Purple 903	Grape 979	Dark Brown 711	Medium Brown 713	Black 505	Dark Gray 585	Medium Gray 606	Light Gray 501
Dark Green 321	Olive 309	Beige 135	Cream 101				

Multi

Pepper Brown 1001	Pepper Gray 2001

Precision Inlay™ Logo

Features

Computer technology scans your logo or image, then cuts exact inlays to reproduce crisp, bold and colorful designs
 Withstands high foot traffic
 Inlay process accurately reproduces fonts and images
 Common Uses—retail stores, malls, commercial settings, hotels, hospitals

Specifications

Material
 100% solution-dyed UV stabilized polypropylene fibers with 15% post-consumer content

Thickness
 7/16"

Weight
 73 oz/sq yd



miVantage™ High performance matting from small logo mats to wall-to-wall applications

Possible LEED v 2009 Credits


- IEQ Credit 4.1 (1 point)
- IEQ Credit 4.3 (1 point)
- IEQ Credit 5 (1 point)
- MR Credit 4 (1-2 points)




Supreme Nop



Bright Colors




See Other Precision Inlay™ Logo Products




miDesign Studio
 Custom Floor Mat Design in 3 Easy Steps
 Visit matsinc.com

Design Print™

Features	Zones	1	2	3	4
Jet Print technology injects dyes deeply and permanently into the pile to produce colorful logos Virtually unlimited color combinations Jet Print process promotes a high level of detail Common Uses—high traffic entrances, retail areas, lobbies, reception areas, service counters					
Specifications					
Material 100% heat set nylon Style Jet Print Backing Slip-resistant nitrile rubber Standard Sizes 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8', 5' x 6', 5' x 8' Thickness 3/8" Custom Sizes/Artwork Requirements Contact our Logo Matting Department at 1-800-628-7462					




3M™ Nomad™ Printed Carpet Matting 6600

Features	Zones	1	2	3	4
Designed for MEDIUM traffic conditions Allows you to print your custom logo, message, product photo or virtually any custom graphic on a high-performance carpet mat Dual nylon fibers provide exceptional dirt and water removal Flexion vinyl backing will not stain floor and prevents dirt and moisture from falling through the mat onto the floor					
Specifications					
Material Dual nylon fibers Backing Vinyl Standard Sizes 3', 4' and 6' widths up to 60' Custom Sizes/Artwork Requirements Contact our Logo Matting Department at 1-800-628-7462					
Possible LEED v 2009 Credits					
MR Credit 5 (1-2 points)					



3M
Authorized Master Distributor
Entrance and Work Area Matting



3M™ Nomad™ Embossed Scraper Matting

Features	Zones	1	2	3	4
----------	-------	---	---	---	---

Designed for MEDIUM traffic conditions
 Up to 400,000 people per year
 An economical personalization method to get your name, logo or message in front of customers
 Desired image is produced by melting the matting surface under heat and pressure—the resulting image is the same color as the mat
 Available in vinyl loop and z-web scraper mats, backed and unbacked
 Solid vinyl backing helps protect floors from removed soil and will not stain flooring

miVantage™
 Economical personalized matting for medium traffic areas



Specifications

Embossing Graphics Colors
 Image is same color as mat

Embossing Graphics Area
 Maximum overall impressions size is 22" x 27"; maximum impression area (not overall dimension) is 120 square inches

Embossing Logo Positions
 Portrait or landscape positions are standard. Custom positions and designs are available if detailed artwork is provided.

Standard Edging
 Heat embossed on all sides

Roll Sizes
 3' and 4' x 60' (Longer rolls readily available)
 † Logo colors 4' x 60'

Standard Mat Sizes
 3' x 5', 4' x 6', 3' x 20', 4' x 20'


Custom Sizes
 3' and 4' widths x custom lengths up to 60'
 † Logo colors 4' width x custom lengths up to 20'
 * Red, Blue and Green 3' width x custom lengths up to 20'
 Seaming is also available

Possible LEED v 2009 Credits
 MR Credit 5 (1-2 points)

3M™ Nomad™ Medium Traffic Scraper Matting 6050



3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250



3M
 Authorized Master Distributor
 Entrance and Work Area Matting



6050 and 8150 also available with logo inlay. Contact our Logo Matting Department for details.