

ENTRANCE SYSTEMS & MATTING

LOGO MATS



PRECISION INLAY™ LOGO

PRECISION INLAY™ WITH LUXTRIA™

Luxurious matting ideal for oversized logo mats or wall-to-wall applications

FEATURES	ZONES	1	2	3	4
----------	-------	---	---	---	---

Precise reproduction of a logo or image in a superior quality plush mat
 Create with any image, shape or size
 Luxurious matting absorbs moisture and removes dirt
 Pair Luxtria™ colors with the Chicago Collection™ or Seattle Collection™ for base colors to achieve stylish mats for entrances and other interior spaces
 Common Uses—retail stores, malls, commercial settings, hotels, hospitals

SPECIFICATIONS

Material
Premium BCF Nylon 6

Backing
Fleece

Total Thickness
7/16"

Weight
93.8 oz/sq yd

POSSIBLE LEED V 2009 CREDITS

MR Credit 4 (1-2 points)	IEQ Credit 5 (1 point)
MR Credit 5 (1-2 points)	
MR Credit 6 (1 points)	

POSSIBLE LEED V 4 CREDITS

MR Sourcing of Raw Materials (up to 2 points)
IEQ Enhanced Indoor Air Quality Strategies (up to 2 points)



Chicago Collection™



Blue Brown Charcoal Dark Gray Mocha


Seattle Collection™



Blue Brown Burgundy Charcoal Dark Gray Ivy

Light Gray Medium Gray Mocha Natural

Luxtria™ Logo Colors



Onyx Amethyst Tanzanite Topaz Jadeite

Rubellite Carnelian Amber Citrine Pearl



PRECISION INLAY™ WITH SUPER NOP® 52



High performance matting from small logo mats to wall-to-wall applications

FEATURES	ZONES	1	2	3	4
----------	-------	---	---	---	---

Computer technology scans your logo or image, then cuts exact inlays to reproduce crisp, bold and colorful designs
 Withstands high foot traffic
 Inlay process accurately reproduces fonts and images
 Common Uses—retail stores, malls, commercial settings, hotels, hospitals

SPECIFICATIONS ♻️

Material
 100% Asota® solution-dyed UV stabilized polypropylene fibers with 20% post-consumer content
Thickness
 1/2"
Weight
 93 oz/sq yd

POSSIBLE LEED V 2009 CREDITS


MR Credit 4 (1-2 points)	IEQ Credit 4.1 (1 point) IEQ Credit 4.3 (1 point) IEQ Credit 5 (1 point)
--------------------------	--

POSSIBLE LEED V 4 CREDITS


MR Sourcing of Raw Materials (up to 2 points)
 MR Environmental Product Declarations (up to 2 points)
 IEQ Enhanced Indoor Air Quality Strategies (up to 2 points)
 IEQ Low-Emitting Materials (up to 3 points)



SUPER NOP® 52




SUPER NOP® 52 LOGO



DESIGN PRINT™

Economical mat ideal for large quantities					
FEATURES	ZONES	1	2	3	4
Jet Print technology injects dyes deeply and permanently into the pile to produce colorful logos Virtually unlimited color combinations Jet Print process promotes a high level of detail Common Uses—high traffic entrances, retail areas, lobbies, reception areas, service counters					
SPECIFICATIONS					
Material 100% heat set nylon					
Style Jet Print					
Backing Slip-resistant nitrile rubber					
Standard Sizes 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8', 5' x 6', 5' x 8'					
Thickness 3/8"					
Custom Sizes/Artwork Requirements Contact our Logo Matting Department at 1-800-628-7462					
POSSIBLE LEED V 2009 CREDITS					
MR Credit 5 (1-2 points)					
POSSIBLE LEED V 4 CREDITS					
MR Sourcing of Raw Materials (up to 2 points)					

3M™ NOMAD™ PRINTED CARPET MATTING 6600

Dual-fiber carpet mat for indoor applications					
FEATURES	ZONES	1	2	3	4
Designed for MEDIUM traffic conditions Allows you to print your custom logo, message, product photo or virtually any custom graphic on a high-performance carpet mat Dual nylon fibers provide exceptional dirt and water removal Flexion vinyl backing will not stain floor and prevents dirt and moisture from falling through the mat onto the floor					
 Authorized Master Distributor Entrance and Work Area Matting					
SPECIFICATIONS					
Material Dual nylon fibers					
Backing Vinyl					
Standard Sizes 3', 4' and 6' widths up to 60'					
Custom Sizes/Artwork Requirements Contact our Logo Matting Department at 1-800-628-7462					
POSSIBLE LEED V 2009 CREDITS					
MR Credit 5 (1-2 points)					
POSSIBLE LEED V 4 CREDITS					
MR Sourcing of Raw Materials (up to 2 points)					



Heat Set Nylon



Dual Fiber Nylon

DESIGN PRINT™

Cherry 311	Chianti 100	Cognac 126	Goldenrod 103	Orange Burst 396
Lemon 128	Dandelion 109	Gingerbread 363	Balsam 117	Forest 340
Clover 366	Navy 118	Horizon 398	Caribbean 104	Cerulean 306
Sky 106	Watermelon 335	Magenta 392	Ultraviolet 105	Fog 116
Graphite 388	Latte 123	Black 108	Bark 111	Chestnut 383
		<i>More colors available on our website.</i>		
French Vanilla 394	White 140			

3M™ NOMAD™ PRINTED CARPET MATTING 6600

Cherry 311	Chianti 100	Cognac 126	Goldenrod 103	Orange Burst 396
Lemon 128	Dandelion 109	Gingerbread 363	Balsam 117	Forest 340
Clover 366	Navy 118	Horizon 398	Caribbean 104	Cerulean 306
Sky 106	Watermelon 335	Magenta 392	Ultraviolet 105	Fog 116
Graphite 388	Latte 123	Black 108	Bark 111	Chestnut 383
French Vanilla 394	White 140			

3M™ NOMAD™ EMBOSSED SCRAPER MATTING

Economical personalized matting for medium traffic areas

FEATURES	ZONES	1	2	3	4
----------	-------	---	---	---	---

Designed for MEDIUM traffic conditions
Up to 400,000 people per year
An economical personalization method to get your name, logo or message in front of customers
Desired image is produced by melting the matting surface under heat and pressure—the resulting image is the same color as the mat
Available in vinyl loop and z-web scraper mats, backed and unbacked
Solid vinyl backing helps protect floors from removed soil and will not stain flooring

3M
Authorized Master Distributor
Entrance and Work Area Matting

SPECIFICATIONS

Embossing Graphics Colors
Image is same color as mat

Embossing Graphics Area
Maximum overall impressions size is 22" x 27"; maximum impression area (not overall dimension) is 120 square inches

Embossing Logo Positions
Portrait or landscape positions are standard. Custom positions and designs are available if detailed artwork is provided.

Standard Edging
Heat embossed on all sides of 3' x 5' and 4' x 6' mats

Roll Sizes
3' and 4' x 60'
Logo colors 4' x 60'

Standard Mat Sizes
3' x 5', 4' x 6', 3' x 20', 4' x 20'

Custom Sizes
3' and 4' widths x custom lengths up to 60'

POSSIBLE LEED V 2009 CREDITS

MR Credit 5 (1-2 points)

POSSIBLE LEED V 4 CREDITS


IEQ Enhanced Indoor Air Quality Strategies (up to 2 points)



3M™ NOMAD™ MEDIUM TRAFFIC SCRAPER MATTING 6050



3M™ NOMAD™ Z-WEB MEDIUM TRAFFIC SCRAPER MATTING 6250



6050 and 8150 also available with logo inlay.
Contact our Logo Matting Department for details.