

SPORTS FLOORING

# MULTIPURPOSE

MULTILINO™

# MULTILINO™

Superior multipurpose floor with highest performance for intense sports

FEATURES	ZONES	1	2	3	4
----------	-------	---	---	---	---

Multipurpose sports floor system withstands high intensity indoor sports including basketball, volleyball and In-line skating

Environmentally-friendly, made from renewable materials; biodegradable

DIN Certified

Common Uses—multipurpose recreation facilities, basketball courts, floor hockey, racquet sports, and volleyball courts

## SPECIFICATIONS

### Material

Linoleum top layer with MultiLino™ FM or WDK subsystem

### Roll Size

6.56' x 91.86'

### Custom Sizes

6.56' x lengths up to approximately 91.86'

### Top Layer Thickness

3.2 mm

\*Wood Grain - 4 mm

### Additional Specifications

ASTM E648 Class 1, ASTM F2772 PASS

## POSSIBLE LEED V 2009 CREDITS

MR Credit 4 (1-2 points)

IEQ Credit 4.3 (1 point)

MR Credit 6 (1 point)

## POSSIBLE LEED V 4 CREDITS

MR Sourcing of Raw Materials (up to 2 points)

IEQ Low-Emitting Materials (up to 3 points)



## MULTILINO™ SUBSYSTEMS


MultiLino™ offers a range of sub construction floors to meet the varying needs of sports facilities. MultiLino™ floors are DIN Certified ensuring the highest standards in durability, performance and safety.

	MultiLino™ FM	MultiLino™ WDK
Total Thickness Approximate	9.2 mm *10 mm	33.2 mm *34 mm
Weight Per Square Foot	1.25 lbs *1.43 lbs	3.13 lbs *3.31 lbs
Recycled Content Pre-Consumer	34.65%	15.27%
Rapidly Renewable Content	67.13%	29.1%

## MultiLino™ FM

### POINT ELASTIC

Top Layer




Elastic Subsystem

Construction Height: 10 mm

## MultiLino™ WDK

### AREA ELASTIC

Top Layer



Wood

Construction Height: 33.2 mm

Elastic Subsystem

## TOP LAYER COLOR OPTIONS



Volcanic Red



Canyon



Glow



Lemon-Lime




Wasabi



Stormy Seas




Indigo



Desert Sunset



Desert Sunrise



Sandstone



Sculpted Clay



Suede Gray



Granite Ridge



Wood Grain\*



# WOODFLEX™/ FITFLEX

Outstanding flooring solution for multipurpose rooms- ideal for competitive play

FEATURES	ZONES	1	2	3	4
----------	-------	---	---	---	---

Realistic wood look with benefits of a synthetic floor; hygienic, antibacterial properties  
 Low maintenance costs—never needs sanding or refinishing  
 Common Uses—multipurpose recreation facilities, gymnasiums, church/assembly halls, dance studios and aerobics/fitness studios

**SPECIFICATIONS**

WOODFLEX™	FITFLEX
<b>Material</b> High performance vinyl	<b>Material</b> High performance vinyl
<b>Roll Size</b> 6'7" x 49'2"	<b>Roll Size</b> 6'7" x 65'7"
<b>Top Layer Thickness</b> 1.3 mm	<b>Top Layer Thickness</b> 0.5 mm
<b>Total Thickness</b> 6.7 mm	<b>Total Thickness</b> 5 mm
<b>Weight</b> 6.7 mm: 0.84 lbs/sq ft 8 mm: 0.88 lbs/sq ft	<b>Weight</b> 0.59 lbs/sq ft
<b>Game Lines</b> Use urethane paints for game line painting	<b>Game Lines</b> Use urethane paints for game line painting

**POSSIBLE LEED V 2009 CREDITS**

<b>Woodflex™</b> IEQ Credit 4.1 (1 point) IEQ Credit 4.3 (1 point) MR Credit 4 (1-2 points)	<b>Fitflex</b> IEQ Credit 4.1 (1 point) MR Credit 4 (1-2 points)
--	--

**POSSIBLE LEED V 4 CREDITS**


MR Sourcing of Raw Materials (up to 2 points)  
 IEQ Low-Emitting Materials (up to 3 points)

**WOODFLEX™**



\* Maple      \* Camaru      \* Beech      Silver Oak

**WOODFLEX™ UV-CURED PUR REINFORCED TECH SURFACE SYSTEM**  
 With embedded micronized aluminum oxide—It's not a finish so it won't wear down



**FITFLEX™**



Maple



## GAMEFLEX®

Outstanding flooring solution for multipurpose rooms— ideal for competitive play					
FEATURES	ZONES	1	2	3	4
Vibrant, fun colors Complements Woodflex™ Excellent shock absorbency to protect athletes Extremely hygienic; non-porous surface has bactericidal and fungicidal treatment Common Uses—multipurpose recreation facilities, gymnasiums, church/assembly halls, dance studios and aerobics/fitness studios					
SPECIFICATIONS					
<b>Material</b> High performance vinyl <b>Roll Size</b> 6' 7" x 49' 2" <b>Top Layer Thickness</b> 1.3 mm <b>Total Thickness</b> 6.7 mm, 8 mm <b>Weight</b> 6.7 mm = 0.78 lb/sq ft 8 mm = 0.86 lb/sq ft <b>Game Lines</b> Use urethane paints for game line painting					
POSSIBLE LEED V 2009 CREDITS					
MR Credit 4 (1-2 points)		IEQ Credit 4.1 (1 point) IEQ Credit 4.3 (1 point)			
POSSIBLE LEED V 4 CREDITS					
MR Sourcing of Raw Materials (up to 2 points) IEQ Low-Emitting Materials (up to 3 points)					



## UNDERFLOOR SL

FEATURES	ZONES	1	2	3	4
Prevents moisture from passing through to the floor foundations Keeps your floor covering stable Makes updating flooring over time easier					
SPECIFICATIONS					
<b>Material</b> Specially coated fiberglass reinforced moisture barrier sheet underlay <b>Roll Size</b> 4' 9" x 82'			<b>Weight</b> 0.33 lb/sq ft <b>Thickness</b> 1.4 mm <b>Recycled Content</b> 5.5% pre-consumer		
POSSIBLE LEED V 2009 CREDITS					
MR Credit 4 (1-2 points)					
POSSIBLE LEED V 4 CREDITS					
MR Sourcing of Raw Materials (up to 2 points)					
 <p><i>Creates a floating floor on sub-floors with moisture challenges or for installations over existing floors.</i></p>					



## PRO SHIELD

FEATURES	ZONES	1	2	3	4
<p>Giant-sized tiles protect gym floors</p> <p>Easy to handle for quick set up and break down</p> <p>Plus Backing keeps floors clean</p> <p>Common Uses—universities, multipurpose facilities, convention halls</p>					
<p><b>SPECIFICATIONS</b> ♻️</p>					
<p><b>Material</b> 100% solution-dyed polypropylene</p>					
<p><b>Tile Size</b> 39-3/8" x 78-3/4"</p>					
<p><b>Thickness</b> 6 mm</p>					
<p><b>Weight</b> 91.4 oz/sq yd</p>					
<p><b>Slip Resistance</b> (ASTM C1028) 0.61 Dry and 0.54 Wet</p>					
<p><b>Note</b> Minimums apply, consult our Product Specialists for assistance</p>					



Gray



Blue